

UNIVERSITY POLICIES & PROCEDURES

POLICY NAME: ILLUMINATION STANDARDS	TEMPORARY REVIEW NUMBER:
CLASSIFICATION: FINANCE & ADMINISTRATION DIVISION	SUPERSEDES:
AUTHOR:	LAST REVIEW:
AUTHORITY:	NEXT REVIEW:
APPLICATION: <input type="checkbox"/> Undergraduate only <input type="checkbox"/> Graduate only <input checked="" type="checkbox"/> All University	EFFECTIVE DATE: JULY 2000
DISTRIBUTION (IDENTIFY AUDIENCE/PUBLICATION):	CUSTODIAN OF POLICY: ASSISTANT VICE PRESIDENT FACILITIES MANAGEMENT OFFICE

POLICY STATEMENT:

Lighting standards are based on the recommended Illumination Engineering Society (IES) lighting levels. The maximum illumination levels shall be the median IES illumination standards for the task being done.

Medically Required Illumination and Temperature Standards Modifications

This policy recognizes that individuals may, due to medical conditions, require deviation from these standards. It is the intent of this policy to provide working conditions needed to meet health care provider defined temperature and lighting variations.

To provide these policy variations, the requester must provide written documentation of the specific need from their health care provider.

The individual requesting variations from these standards shall consult with the Facilities Management Office, who will assist the requester and their health care provider in providing the necessary documentation to modify the applicable standards.

Upon receipt of the documentation, Facilities Management staff will consult with engineering consultants, if necessary, to determine the specific modifications needed and will make the necessary facility modifications.